



# Safety Data Sheet

## Boiler Water Treatment BTA 600A

### Section 1 Identification

**Trade Name:** Boiler Water Treatment BTA 600A      **Date Prepared:** 10/30/2015  
**Product Identification:** GLA-BTA600A  
**Synonyms:** None      **CAS No:** Mixture

**Product Use Description:**  
Industrial Boiler Water Treatment

#### Details of the supplier of the safety data sheet

G.L.A Water Inc.  
17802 Rapids Road  
HIRAM, OH 44234 US

**Phone:** (440) 834-8435

**website:** [www.glawater.com](http://www.glawater.com)

#### Emergency telephone number

Infotrac (800) 535-5053 (US & Canada)  
(352) 323-3500

### Section 2 Hazards Identification

**GHS Classification:** Corrosive to Metals Category 1  
Skin Corrosion/Irritation Category 1  
Serious Eye Damage/Irritation Category 1  
Skin Sensitisation Category 1

#### GHS label elements:



Irritant      Corrosive

**Signal Word:** Danger

#### Hazard Statements:

- H290** May be corrosive to metals
- H314** Causes severe skin burns and eye damage
- H317** May cause an allergic skin reaction
- H318** Causes serious eye damage

#### Precautionary Statements:

##### Prevention

- P234** Keep only in original container.
- P260** Do not breathe mist, vapours or spray.
- P264** Wash skin thoroughly after handling.
- P272** Contaminated work clothing should not be allowed out of the workplace.
- P280** Wear protective gloves, protective clothing, eye protection and face protection.

##### Response

- P301 + P330 + P331** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303 + P361 + P353** IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse SKIN with water.
- P304 + P340** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305 + P351 + P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



# Safety Data Sheet

## Boiler Water Treatment BTA 600A

- P310** Immediately call a POISON CENTER or physician.  
**P321** Specific treatment see information on this label.  
**P333 + P313** IF SKIN irritation or rash occurs: Get medical attention.  
**P362 + P364** Take off contaminated clothing and wash before reuse  
**P390** Absorb spillage to prevent material damage.

### Storage

- P405** Store locked up.  
**P406** Store in corrosive resistant container with a resistant inner liner.

### Disposal

- P501** Dispose of contents/container to an approved waste disposal plant.

### Hazards Not Otherwise Classified (HNOC):

None.

### Additional Information:

None.

## Section 3 Composition

Chemical Name	Common name and synonyms	CAS #	%
sodium hydroxide		1310-73-2	5 - 10
methoxypropylamine		5332-73-0	1 - 5

## Section 4 First Aid

### General:

Move out of dangerous area. Perform first aid measures as indicated. Seek medical attention and show this safety data sheet to attending physician.

### Inhalation:

Move to fresh air and keep at rest in a position comfortable for breathing. If breathing difficulty occurs or persists seek medical attention. If not breathing give artificial respiration and seek immediate medical attention.

### Skin contact:

Immediately flush exposed skin with water for at least 15 minutes while removing contaminated clothing and/or shoes. Thoroughly wash with soap and water. Seek medical attention if irritation develops or persists.

### Eye contact:

Immediately flush eyes with water for at least 15 minutes, lifting the upper and lower eyelids intermittently. Check for and remove any contact lenses if easy to do. Seek immediate medical attention.

### Ingestion:

Rinse mouth with water. Do not induce vomiting. Seek immediate medical attention.

### Most important symptoms and effects both acute and delayed:

No information available.

### Indication of any immediate medical attention and special treatment needed:

No information available.

## Section 5 Fire Fighting Measures

### Suitable Extinguishing Media:

Use extinguishing media suitable for surrounding fire or source of fire. Use water spray to cool fire exposed containers.

### Unsuitable Extinguishing Media:

No information available.

### Specific hazards developing from the chemical:

In fire conditions after water loss, combustion may produce carbon monoxide, carbon dioxide and other unidentified combustion products.



# Safety Data Sheet

## Boiler Water Treatment BTA 600A

**Precautions for firefighters:**

No information available.

**Firefighting Instructions:**

No information available.

**Protection During Firefighting:**

Wear full protective gear and full face pressure demand self-contained breathing apparatus.

**Other information:**

No additional information available.

### Section 6 Accidental Release Measures

**Personal precautions, protective equipment and emergency procedures:**

Avoid direct contact with skin, eyes and clothing. Avoid inhalation of mist, vapor or dust. Wear appropriate personal protective equipment as outlined in Section 8 of this SDS.

**Environmental precautions:**

Prevent further leakage or spillage if safe to do so. Contain spilled material and prevent run-off onto ground or into water sources or sewers.

**Methods and material for containment and cleaning up:**

Absorb on inert material and place in containers for disposal. Dispose of spilled/collected material in accordance with all federal, state and local regulations.

### Section 7 Handling and Storage

**Precautions for safe handling:**

Avoid contact with skin and eyes. Avoid inhalation of mist, vapor and dust. Ensure adequate ventilation. Do not eat, drink or smoke while handling. Wear appropriate personal protective equipment as outlined in Section 8 of this SDS.

**Conditions for safe storage, including any incompatibilities:**

Store in original container. Keep container tightly closed. Store at room temperature (50-90 F) in a dry well-ventilated area.

### Section 8 Exposure Controls/Personal Protection

**Exposure limits:**

Ingredient	Data Source	Exposure Form	Exposure Value	Exposure Notes
methoxypropylamine	ACGIH TLV		Not Established	
	OSHA PEL		Not Established	
sodium hydroxide	OSHA PEL	TWA	3 mg/m3	

**Appropriate Engineering Controls:**

Use local and/or general exhaust ventilation to maintain airborne concentrations below irritating levels or exposure limits. An eyewash and safety shower should be available in the work area.

**Individual protection measures:**

**Eye/face protection:**

Chemical goggles or face shield should be worn when handling this material.

**Skin protection:**

**Hand Protection:**

Wear chemical resistant gloves when handling.

**Other:**

Wear chemical resistant apron when handling.

**Respiratory Protection:**

Wear respiratory protection while using this material.

**General hygiene considerations:**

Follow good hygiene and safety practice. Wash hands and exposed skin before breaks and at the end of the work day. Do not eat, drink or smoke while handling this material. Do not wear contaminated or dirty clothing home from the work-site. Launder contaminated or dirty clothing before reuse.

**Additional information:**



# Safety Data Sheet

## Boiler Water Treatment BTA 600A

No additional information available.

### Section 9 Physical and Chemical Properties

Appearance	Light Yellow Liquid
Odor	Mild Amine
Odor threshold	Not available.
pH	13.2
Melting/freezing point	Not available.
Initial boiling point	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Lower flammability limit	Not available.
Upper flammability limit	Not available.
Lower explosive limit	Not available.
Upper explosive limit	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility in water	Complete
PC: n-octanol/water	Not available.
Auto-Ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Density	Not available.
Specific gravity	1.10

### Section 10 Stability and Reactivity

Reactivity :	Not reactive under normal use conditions.
Chemical stability :	Material is stable under normal handling and storage conditions.
Hazardous reactions :	Hazardous polymerization will not occur under normal handling and storage.
Conditions to avoid :	Avoid excessive heating, freezing and chemical contamination.
Decomposition products:	No decomposition products are expected under normal storage and handling conditions.
Incompatible materials:	Avoid contact with oxidizers and strong acids.

### Section 11 Toxicological Information

#### Information on the likely routes of exposure:

##### Inhalation:

Inhalation of mist will be irritating and corrosive to contacted tissue.

##### Skin Contact:

Irritating and corrosive to skin upon contact.

##### Eye Contact:

Irritating and corrosive to the eye tissue.

##### Ingestion:

Corrosive to contacted tissue.

#### Symptoms related to the physical, chemical and toxicological characteristics:

No information available.

#### Delayed and chronic effects:

No information available.

#### Numerical measures of toxicity:

Components	Exposure	Species	Dose	Notes
------------	----------	---------	------	-------

sodium hydroxide:



# Safety Data Sheet

## Boiler Water Treatment BTA 600A

No Data Available

**methoxypropylamine:**

LD50	Oral	Rat	688 mg/kg
LD50	Dermal	Rabbit	2000 mg/kg

**Toxicological effects:**

**Acute Toxicity:**

Mixture:  
No information available.

**Skin Corrosion/Irritation:**

Mixture:  
No information available.

**Serious Eye Damage/Irritation:**

Mixture:  
No information available.

**Respiratory sensitization:**

Mixture:  
No information available.

**Skin sensitization:**

Mixture:  
Contact with mixture may result in skin sensitisation.

**Germ cell mutagenicity:**

Mixture:  
No information available.

**Carcinogenicity:**

Mixture:  
This product is considered to be a potential carcinogen by:  
NTP: No  
OSHA: No  
IARC: No

**Reproductive toxicity:**

Mixture:  
This product is not expected to cause reproductive and developmental effects.

**STOT-single exposure:**

Mixture:  
No information available.

**STOT-repeated exposure:**

Mixture:  
No information available.

**Aspiration hazard:**

Mixture:  
This product is not an aspiration hazard.

**Additional information:**

None.

## Section 12 Ecological Information

**Ecotoxicity:**

After neutralization this material is expected to be practically non-toxic to fish and other aquatic organisms.

**Numerical measures of ecotoxicity:**

Components	Type	Species	Dose	Notes
<b>sodium hydroxide:</b>				
No Data Available				
<b>methoxypropylamine:</b>				
Fish	LC50	Leuciscus idus	146.6 mg/l	96 hr
Invertebrate	EC50	Daphnia magna	65 mg/l	48 hr
Algae	EC50	Algae	44 mg/l	72 hr

**Persistence and degradability:**

Mixture:  
No information available.



# Safety Data Sheet

## Boiler Water Treatment BTA 600A

**Bioaccumulative potential:**

Mixture:  
No information available.

**Mobility in soil:**

Mixture:  
No information available.

**Other adverse effects:**

Mixture:  
No information available.

**Additional information:**

No information available.

## Section 13 Disposal Considerations

**Disposal instructions:**

Dispose of material in accordance with all federal, state and local regulations.

**Contaminated packaging:**

Triple rinse container and offer for recycling. Dispose of container following all federal, state and local regulations.

**Additional Information:**

No additional information available.

## Section 14 Transport Information

**DOT:**

**UN number:** UN3266

**UN proper shipping name:** UN3266, Corrosive Liquid, Basic, Inorganic, N.O.S. (Sodium Hydroxide), 8, PGII

**Class:** 8

**Subsidiary risk:** none

**Label(s):** 8

**Packing group:** II

**Packaging exceptions:** none

## Section 15 Regulatory Information

**Federal regulations:****SARA 311/312 Hazard categories:**

Immediate (Acute) Health Hazard

Immediate (Acute) Health Hazard

Fire Hazard

Sudden Release of Pressure Hazard

Reactivity Hazard

**SARA 302 Extremely hazardous substance:**

Not listed.

**SARA 304 Emergency release notification:**

Not regulated.

**SARA 311/312 Hazardous chemical:**

No

**SARA 313 Toxic Release Inventory (TRI) report:**

Not regulated.

**CERCLA Hazardous substance list:**

methoxypropylamine Reportable Quantity: 100 pounds

**Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA):**

This chemical is not a pesticide product.

**Clean Air Act regulated substances:**

None.

**Clean Water Act regulated substances:**

None.



# Safety Data Sheet

## Boiler Water Treatment BTA 600A

**U.S. state regulations:**

**Massachusetts RTK Substances**

methoxypropylamine Listed.

**New Jersey RTK Substances**

methoxypropylamine Listed.

**Pennsylvania RTK Substance**

methoxypropylamine Listed.

**Canadian regulations:**

**Canadian Ingridient Disclosure List substances:**

None listed.

**WHMIS classification:**

Not classified.

### Section 16 Other Information

**HMIS hazard ID:**

<b>HEALTH</b>	2
<b>FLAMMABILITY</b>	0
<b>REACTIVITY</b>	0
<b>PERSONAL PROTECTION</b>	H

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; \*-Chronic health effect


**NFPA hazard ID:**

Flamability:

Health:

Reactivity:

Special hazard:



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

**Disclaimer:** This Manufacturer believes that the information contained in the Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of the publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements.

**Issue Date:** 10/30/2015

**Revision:** 1