



# Safety Data Sheet

## Boiler Water Treatment BTA 600X

### Section 1 Identification

**Trade Name:** Boiler Water Treatment BTA 600X      **Date Prepared:** 08/19/2015  
**Product Identification:** GLA-BTA600X  
**Synonyms:** None      **CAS No:** Mixture  
**Product Use Description:**  
Industrial Water Treatment

#### Details of the supplier of the safety data sheet

G.L.A Water Inc.  
17802 Rapids Road      **Phone:** (440) 834-8435  
HIRAM, OH 44234 US      **website:** www.glawater.com

#### Emergency telephone number

Infotrac      (800) 535-5053      (US & Canada)  
(352) 323-3500

### Section 2 Hazards Identification

**GHS Classification:** Corrosive to Metals Category 1  
Skin Corrosion/Irritation Category 1  
Serious Eye Damage/Irritation Category 1

#### GHS label elements:



Corrosive

**Signal Word:** Danger

#### Hazard Statements:

- H290** May be corrosive to metals
- H314** Causes severe skin burns and eye damage
- H318** Causes serious eye damage

#### Precautionary Statements:

##### Prevention

- P234** Keep only in original container.
- P260** Do not breathe mist or vapour.
- P264** Wash skin thoroughly after handling.
- P280** Wear protective gloves, protective clothing and eye protection or face protection.

##### Response

- P301 + P330 + P331** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303 + P361 + P353** IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse SKIN with water.
- P304 + P340** IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.
- P305 + P351 + P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310** Immediately call a POISON CENTER or doctor/physician.
- P321** Specific treatment - see information on this label.
- P363** Wash contaminated clothing before reuse.



# Safety Data Sheet

## Boiler Water Treatment BTA 600X

**P390** Absorb spillage to prevent material damage.

### Storage

**P405** Store locked up.

**P406** Store in corrosive resistant/ container with a resistant inner liner.

### Disposal

**P501** Dispose of contents/container to an approved waste disposal plant.

### Hazards Not Otherwise Classified (HNOC):

None.

### Additional Information:

None.

## Section 3 Composition

Chemical Name	Common name and synonyms	CAS #	%
Sodium Hydroxide		1310-73-2	5 - 10

## Section 4 First Aid

### General:

Move out of dangerous area. Perform first aid measures as indicated. Seek immediate medical attention and show this safety data sheet to attending physician.

### Inhalation:

Move to fresh air and keep at rest in a position comfortable for breathing. If breathing difficulty occurs or persists seek immediate medical attention. If not breathing give artificial respiration and seek immediate medical attention.

### Skin contact:

Immediately flush exposed skin with water for at least 15 minutes while removing contaminated clothing and/or shoes. Seek immediate medical attention.

### Eye contact:

Immediately flush eyes with water for at least 15 minutes, lifting the upper and lower eyelids intermittently. Check for and remove any contact lenses if easy to do. Seek immediate medical attention.

### Ingestion:

Rinse mouth with water. Do not induce vomiting. Seek immediate medical attention.

### Most important symptoms and effects both acute and delayed:

No information available.

### Indication of any immediate medical attention and special treatment needed:

No information available.

## Section 5 Fire Fighting Measures

### Suitable Extinguishing Media:

Use extinguishing media suitable for surrounding fire or source of fire. Use water spray to cool fire exposed containers.

### Unsuitable Extinguishing Media:

No information available.

### Specific hazards developing from the chemical:

No information available.

### Precautions for firefighters:

No information available.

### Firefighting Instructions:

No information available.

### Protection During Firefighting:

Wear full protective gear and full face pressure demand self-contained breathing apparatus.

### Other information:

No additional information available.



# Safety Data Sheet

## Boiler Water Treatment BTA 600X

### Section 6 Accidental Release Measures

**Personal precautions, protective equipment and emergency procedures:**

Avoid direct contact with skin, eyes and clothing. Avoid inhalation of mist, vapor or dust. Wear appropriate personal protective equipment as outlined in Section 8 of this SDS.

**Environmental precautions:**

Prevent further leakage or spillage if safe to do so. Contain spilled material and prevent run-off onto ground or into water sources or sewers.

**Methods and material for containment and cleaning up:**

Neutralize with appropriate acidic material if possible. Absorb on inert material and place in containers for disposal. Dispose of spilled/collected material in accordance with all federal, state and local regulations.

### Section 7 Handling and Storage

**Precautions for safe handling:**

Avoid contact with skin and eyes. Avoid inhalation of mist, vapor and dust. Ensure adequate ventilation. Do not eat, drink or smoke while handling. Wear appropriate personal protective equipment as outlined in Section 8 of this SDS.

**Conditions for safe storage, including any incompatibilities:**

Store in original container. Keep container tightly closed. Store at room temperature (50-90 F) in a dry well-ventilated area.

### Section 8 Exposure Controls/Personal Protection

**Exposure limits:**

Ingredient	Data Source	Exposure Form	Exposure Value	Exposure Notes
sodium hydroxide	OSHA PEL	TWA	3 mg/m3	

**Appropriate Engineering Controls:**

Use local and/or general exhaust ventilation to maintain airborne concentrations below irritating levels or exposure limits. An eyewash and safety shower should be available in the work area.

**Individual protection measures:**

**Eye/face protection:**

Safety glasses or chemical goggles should be worn when handling this material.

**Skin protection:**

**Hand Protection:**

Wear chemical resistant gloves when handling.

**Other:**

Wear chemical resistant apron when handling.

**Respiratory Protection:**

Wear respiratory protection if mist or vapor is produced, while using this material.

**General hygiene considerations:**

Follow good hygiene and safety practice. Wash hands and exposed skin before breaks and at the end of the work day. Do not eat, drink or smoke while handling this material. Do not wear contaminated or dirty clothing home from the work-site. Launder contaminated or dirty clothing before reuse.

**Additional information:**

No additional information available.

### Section 9 Physical and Chemical Properties

Appearance	Light Amber Liquid	Flammability (solid, gas)	Not available.
Odor	Mild	Lower flammability limit	Not available.
Odor threshold	Not available.	Upper flammability limit	Not available.
pH	13.5	Lower explosive limit	Not available.
Melting/freezing point	Not available.	Upper explosive limit	Not available.
Initial boiling point	Not available.	Vapor pressure	Not available.
Flash point	Not available.	Vapor density	Not available.
Evaporation rate	Not available.	Relative density	Not available.



# Safety Data Sheet

## Boiler Water Treatment BTA 600X

<b>Solubility in water</b>	Complete
<b>PC: n-octanol/water</b>	Not available.
<b>Auto-Ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Density</b>	Not available.
<b>Specific gravity</b>	1.14

### Section 10 Stability and Reactivity

<b>Reactivity :</b>	Not reactive under normal use conditions.
<b>Chemical stability :</b>	Material is stable under normal handling and storage conditions.
<b>Hazardous reactions :</b>	Hazardous polymerization will not occur.
<b>Conditions to avoid :</b>	Avoid excessive heating, freezing and chemical contamination.
<b>Decomposition products:</b>	No decomposition products are expected under normal storage and handling conditions.
<b>Incompatible materials:</b>	Avoid contact with oxidizers and strong acids.

### Section 11 Toxicological Information

#### Information on the likely routes of exposure:

**Inhalation:**

No information available.

**Skin Contact:**

This material is corrosive and can cause severe, perminate damage.

**Eye Contact:**

This material is irritating and corrosive to the eyes and can cause serious injury and perminate eye damage.

**Ingestion:**

No information available.

#### Symptoms related to the physical, chemical and toxicological characteristics:

No information available.

#### Delayed and chronic effects:

There are no known effects of chronic exposure other than those experienced through acute exposure.

#### Numerical measures of toxicity:

Components	Exposure	Species	Dose	Notes
<b>Sodium Hydroxide:</b>				
No Information Available				

#### Toxicological effects:

**Acute Toxicity:**

Mixture:

No information available.

**Skin Corrosion/Irritation:**

Mixture:

Corrosive to skin.

**Serious Eye Damage/Irritation:**

Mixture:

Corrosive to the eyes.

**Respiratory sensitization:**

Mixture:

No information available.

**Skin sensitization:**

Mixture:

No information available.

**Germ cell mutagenicity:**

Mixture:

No information available.

**Cancinogenicity:**



# Safety Data Sheet

## Boiler Water Treatment BTA 600X

**Mixture:**

This product is considered to be a potential carcinogen by:

- NTP: No
- OSHA: No
- IARC: No

**Reproductive toxicity:**

**Mixture:**

This product is not expected to cause reproductive and developmental effects.

**STOT-single exposure:**

**Mixture:**

No information available.

**STOT-repeated exposure:**

**Mixture:**

No information available.

**Aspiration hazard:**

**Mixture:**

This product is not an aspiration hazard.

**Additional information:**

None.

### Section 12 Ecological Information

**Ecotoxicity:**

No information available.

**Numerical measures of ecotoxicity:**

Components	Type	Species	Dose	Notes
<b>Sodium Hydroxide:</b>				
		No Information Available		

**Persistence and degradability:**

**Mixture:**

No information available.

**Bioaccumulative potential:**

**Mixture:**

No information available.

**Mobility in soil:**

**Mixture:**

No information available.

**Other adverse effects:**

**Mixture:**

No information available.

**Additional information:**

No information available.

### Section 13 Disposal Considerations

**Disposal instructions:**

Dispose of material in accordance with all federal, state and local regulations.

**Contaminated packaging:**

Triple rinse container and offer for recycling. Dispose of container following all federal, state and local regulations.

**Additional Information:**

No additional information available.

### Section 14 Transport Information

**DOT:**

**UN number:** UN3266

**UN proper shipping name:** UN3266, Corrosive Liquid, Basic, Inorganic, N.O.S. (Sodium Hydroxide), 8, PGII

**Class:** 8

**Subsidiary risk:** none



# Safety Data Sheet

## Boiler Water Treatment BTA 600X

Label(s):  
Packing group: II  
Packaging exceptions:none

### Section 15 Regulatory Information

**Federal regulations:**

**SARA 311/312 Hazard categories:**

Immediate (Acute) Health Hazard  
Reactivity Hazard

**SARA 302 Extremely hazardous substance:**

Not listed.

**SARA 304 Emergency release notification:**

Not regulated.

**SARA 311/312 Hazardous chemical:**

No

**SARA 313 Toxic Release Inventory (TRI) report:**

Not regulated.

**CERCLA Hazardous substance list:**

Not Listed.

**Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA):**

This chemical is not a pesticide product.

**Clean Air Act regulated substances:**

None.

**Clean Water Act regulated substances:**

None.

**U.S. state regulations:**

None.

**Canadian regulations:**

**Canadian Ingridient Disclosure List substances:**

None listed.

**WHMIS classification:**

Not classified.

### Section 16 Other Information

**HMIS hazard ID:**

<b>HEALTH</b>	3
<b>FLAMMABILITY</b>	0
<b>REACTIVITY</b>	0
<b>PERSONAL PROTECTION</b>	C

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; \*-Chronic health effect


**NFPA hazard ID:**

Flamability:

Health:

Reactivity:

Special hazard:



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe



# Safety Data Sheet

## Boiler Water Treatment BTA 600X

**Disclaimer:** This Manufacturer believes that the information contained in the Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of the publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements.

**Issue Date:** 08/19/2015

**Revision:** 2