



Safety Data Sheet

Cooling Water Treatment CWA 6701

Section 1 Identification

Trade Name: Cooling Water Treatment CWA 6701 **Date Prepared:** 12/22/2015
Product Identification: GLA-CWA6701
Synonyms: None **CAS No:** Mixture

Product Use Description:
Industrial Water Treatment

Details of the supplier of the safety data sheet

G.L.A Water Inc.
17802 Rapids Road
HIRAM, OH 44234 US

Phone: (440) 834-8435

website: www.glawater.com

Emergency telephone number

Infotrac (800) 535-5053 (US & Canada)
(352) 323-3500

Section 2 Hazards Identification

GHS Classification:

Corrosive to Metals Category 1
Acute Toxicity Inhalation Category 2
Skin Corrosion/Irritation Category 1A
Serious Eye Damage/Irritation Category 1
Carcinogenicity Category 1A

GHS label elements:



Health Hazard Corrosive Toxic

Signal Word: Danger

Hazard Statements:

- H290** May be corrosive to metals
- H314** Causes severe skin burns and eye damage
- H318** Causes serious eye damage
- H330** Fatal if inhaled
- H350** May cause cancer

Precautionary Statements:

Prevention

- P201** Obtain special instructions before use.
- P202** Do not handle until all safety precautions have been read and understood.
- P234** Keep only in original container.
- P260** Do not breathe mist, vapours or spray.
- P264** Wash skin thoroughly after handling.
- P271** Use only outdoors or in a well-ventilated area.
- P280** Wear protective gloves, protective clothing and eye protection or face protection.
- P284** Wear respiratory protection.

Response

Trade Name: Cooling Water Treatment CWA 6701
SDS ID: SDS00746

SDS #: GLA-CWA6701
Revision # 1

Page 1 of 7
Revision Date 12/22/2015



Safety Data Sheet

Cooling Water Treatment CWA 6701

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304 + P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical attention.

P310 Immediately call a POISON CENTER or physician.

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

Hazards Not Otherwise Classified (HNOC):

None.

Additional Information:

None.

Section 3 Composition

Chemical Name	Common name and synonyms	CAS #	%
sulfuric acid		7664-93-9	45 - 50

Section 4 First Aid

General:

Move out of dangerous area. Perform first aid measures as indicated. Seek immediate medical attention and show this safety data sheet to attending physician.

Inhalation:

Move to fresh air and keep at rest in a position comfortable for breathing. If breathing difficulty occurs or persists seek immediate medical attention. If not breathing give artificial respiration and seek immediate medical attention.

Skin contact:

Immediately flush exposed skin with water for at least 15 minutes while removing contaminated clothing and/or shoes. Seek immediate medical attention.

Eye contact:

Immediately flush eyes with water for at least 15 minutes, lifting the upper and lower eyelids intermittently. Check for and remove any contact lenses if easy to do. Seek immediate medical attention.

Ingestion:

Rinse mouth with water. Do not induce vomiting. Seek immediate medical attention.

Most important symptoms and effects both acute and delayed:

No information available.

Indication of any immediate medical attention and special treatment needed:

No information available.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media:

Use extinguishing media suitable for surrounding fire or source of fire. Use water spray to cool fire exposed containers.

Unsuitable Extinguishing Media:

No information available.

Specific hazards developing from the chemical:

In fire conditions after water loss, combustion may produce sulfur oxides and other unidentified chemical compounds.

Precautions for firefighters:



Safety Data Sheet

Cooling Water Treatment CWA 6701

No information available.

Firefighting Instructions:

No information available.

Protection During Firefighting:

Wear full protective gear and full face pressure demand self-contained breathing apparatus.

Other information:

No additional information available.

Section 6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Avoid direct contact with skin, eyes and clothing. Avoid inhalation of mist, vapor or dust. Wear appropriate personal protective equipment as outlined in Section 8 of this SDS.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Contain spilled material and prevent run-off onto ground or into water sources or sewers.

Methods and material for containment and cleaning up:

Neutralize with appropriate alkaline material if possible. Absorb on inert material and place in containers for disposal. Dispose of spilled/collected material in accordance with all federal, state and local regulations.

Section 7 Handling and Storage

Precautions for safe handling:

Avoid contact with skin and eyes. Avoid inhalation of mist, vapor and dust. Ensure adequate ventilation. Do not eat, drink or smoke while handling. Wear appropriate personal protective equipment as outlined in Section 8 of this SDS.

Conditions for safe storage, including any incompatibilities:

Store in original container. Keep container tightly closed. Store at room temperature (50-90 F) in a dry well-ventilated area.

Section 8 Exposure Controls/Personal Protection

Exposure limits:

Ingredient	Data Source	Exposure Form	Exposure Value	Exposure Notes
sulfuric acid	ACGIH	TWA	1 mg/m3	
	IDLH Level	US IDLH	15 mg/m3	
	NIOSH	TWA	1 mg/m3	
	OSHA PEL	TWA	0.2 mg/m3	

Appropriate Engineering Controls:

Use local and/or general exhaust ventilation to maintain airborne concentrations below irritating levels or exposure limits. An eyewash and safety shower should be available in the work area.

Individual protection measures:

Eye/face protection:

Chemical goggles or face shield should be worn when handling this material.

Skin protection:

Hand Protection:

Wear chemical resistant gloves when handling.

Other:

Wear chemical resistant clothing or chemical splash suit when handling.

Respiratory Protection:

Wear respiratory protection if mist or vapor is produced, while using this material.

General hygiene considerations:

Follow good hygiene and safety practice. Wash hands and exposed skin before breaks and at the end of the work day. Do not eat, drink or smoke while handling this material. Do not wear contaminated or dirty clothing home from the work-site. Launder contaminated or dirty clothing before reuse.

Additional information:

No additional information available.



Safety Data Sheet

Cooling Water Treatment CWA 6701

Section 9 Physical and Chemical Properties

Appearance	Light Yellow Liquid
Odor	Mild
Odor threshold	Not available.
pH	<1
Melting/freezing point	Not available.
Initial boiling point	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Lower flammability limit	Not available.
Upper flammability limit	Not available.
Lower explosive limit	Not available.
Upper explosive limit	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility in water	Complete
PC: n-octanol/water	Not available.
Auto-Ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Density	Not available.
Specific gravity	1.39

Section 10 Stability and Reactivity

Reactivity :	May react vigorously with organic and combustible materials.
Chemical stability :	Material is stable under normal handling and storage conditions.
Hazardous reactions :	Hazardous polymerization will not occur under normal handling and storage.
Conditions to avoid :	Avoid excessive heating, freezing and chemical contamination.
Decomposition products:	Thermal decomposition can lead to release of irritating and toxic gases and vapors.
Incompatible materials:	Avoid contact with alkaline chemicals and unwanted contact with metals.

Section 11 Toxicological Information

Information on the likely routes of exposure:

Inhalation:

Inhalation of mist can cause irritation and burns.

Skin Contact:

Contact with material may irritate the skin and cause burns.

Eye Contact:

Contact with material may irritate the eyes and can cause burns.

Ingestion:

Contact can cause irritation and burns.

Symptoms related to the physical, chemical and toxicological characteristics:

No information available.

Delayed and chronic effects:

No information available.

Numerical measures of toxicity:

Components	Exposure	Species	Dose	Notes
sulfuric acid:				
Oral	LC50	Rat	2140 mg/kg	
Inhalation	LC50	Rat	510 mg/m ³	2 hr



Safety Data Sheet

Cooling Water Treatment CWA 6701

Toxicological effects:

Acute Toxicity:

Mixture:
No information available.

Skin Corrosion/Irritation:

Mixture:
No information available.

Serious Eye Damage/Irritation:

Mixture:
No information available.

Respiratory sensitization:

Mixture:
No information available.

Skin sensitization:

Mixture:
No information available.

Germ cell mutagenicity:

Mixture:
No information available.

Carcinogenicity:

Mixture:
This product is considered to be a potential carcinogen by:
NTP: No
OSHA: No
IARC: Yes

Reproductive toxicity:

Mixture:
This product is not expected to cause reproductive and developmental effects.

STOT-single exposure:

Mixture:
No information available.

STOT-repeated exposure:

Mixture:
No information available.

Aspiration hazard:

Mixture:
This product is not an aspiration hazard.

Additional information:

None.

Section 12 Ecological Information

Ecotoxicity:

No information available.

Numerical measures of ecotoxicity:

Components	Type	Species	Dose	Notes
sulfuric acid:				
Fish	LC50	Brachydanio rerio	500 mg/l	96 hr

Persistence and degradability:

Mixture:
No information available.

Bioaccumulative potential:

Mixture:
No information available.

Mobility in soil:

Mixture:
No information available.

Other adverse effects:

Mixture:



Safety Data Sheet

Cooling Water Treatment CWA 6701

No information available.

Additional information:

No information available.

Section 13 Disposal Considerations

Disposal instructions:

Dispose of material in accordance with all federal, state and local regulations.

Contaminated packaging:

Triple rinse container and offer for recycling. Dispose of container following all federal, state and local regulations.

Additional Information:

No additional information available.

Section 14 Transport Information

DOT:

UN number: UN1830

UN proper shipping name: UN1830, Sulfuric Acid, Solution, 8, PGII

Class: 8

Subsidiary risk: none

Label(s): 8

Packing group: II

Packaging exceptions: none

Section 15 Regulatory Information

Federal regulations:

SARA 311/312 Hazard categories:

Immediate (Acute) Health Hazard

Delayed (Chronic) Health Hazard

Reactivity Hazard

SARA 302 Extremely hazardous substance:

sulfuric acid Reportable Quantity: 1000 lbs.

SARA 304 Emergency release notification:

Not regulated.

SARA 311/312 Hazardous chemical:

Yes

SARA 313 Toxic Release Inventory (TRI) report:

sulfuric acid

CERCLA Hazardous substance list:

Not Listed.

Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA):

This chemical is not a pesticide product.

Clean Air Act regulated substances:

None.

Clean Water Act regulated substances:

None.

U.S. state regulations:

California Proposition 65

sulfuric acid Listed.

Massachusetts RTK Substances

sulfuric acid Listed.

New Jersey RTK Substances

sulfuric acid Listed.

Pennsylvania RTK Substance

sulfuric acid Listed.

Canadian regulations:



Safety Data Sheet

Cooling Water Treatment CWA 6701

Canadian Ingridient Disclosure List substances:

None listed.

WHMIS classification:

sulfuric acid

Class D-1A

Class D-1B

Class D-2A

Class E

Section 16 Other Information

HMIS hazard ID:

HEALTH	3
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	H

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *-Chronic health effect


NFPA hazard ID:

Flamability:

Health:

Reactivity:

Special hazard:



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Disclaimer: This Manufacturer believes that the information contained in the Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of the publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements.

Issue Date: 12/22/2015

Revision: 1