

Cooling Water Treatment CWA 6880

Section 1 Identification

Trade Name: Cooling Water Treatment CWA 6880 Date Prepared: 12/22/2015

GLA-CWA6880 Product Identification:

Mixture Synonyms: CAS No:

Product Use Description: Industrial Water Treatment

Details of the supplier of the safety data sheet

G.L.A Water Inc. 17802 Rapids Road

Phone: (440) 834-8435 HIRAM, OH 44234 US

> website: www.glawater.com

Emergency telephone number

(US & Canada) Infotrac (800) 535-5053

(352) 323-3500

Section 2 Hazards Identification

GHS Classification: Corrosive to Metals Category 1

> Acute Toxicity Inhalation Category 2 Skin Corrosion/Irritation Category 1A Serious Eye Damage/Irritation Category 1

Carcinogenicity Category 1A

GHS label elements:







Heatlh Hazard Toxic Corrosive

Signal Word: Danger

Hazard Statements:

H290 May be corrosive to metals

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H330 Fatal if inhaled

H350 May cause cancer

Precautionary Statements:

Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P234 Keep only in original container.

P260 Do not breathe mist, vapours or spray.

P264 Wash skin thouroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves, protective clothing and eye protection or face protection.

P284 Wear respiratory protection.

Response

Cooling Water Treatment CWA 6880 Frade Name: GLA-CWA6880 SDS ID: SDS00748 Revision # 1 Revision Date 12/22/2015



Cooling Water Treatment CWA 6880

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304 + P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical attention.

P310 Immediately call a POISON CENTER or physician.

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

Hazards Not Otherwise Classified (HNOC):

None

Additional Information:

None.

Section 3 Composition

Chemical Name	Common name and synonyms	CAS#	%
sulfuric acid		7664-93-9	20 - 25

Section 4 First Aid

General:

Move out of dangerous area. Perform first aid measures as indicated. Seek immediate medical attention and show this safety data sheet to attending physician.

Inhalation

Move to freah air and keep at rest in a position comfortable for breathing. If breathing difficulty occurs or persists seek immediate medical attention. If not breathing give artificial respiration and seek immediate medical attention.

Skin contact:

Immediately flush exposed skin with water for at least 15 minutes while removing contaminated clothing and/or shoes. Seek immediate medical attention.

Eye contact:

Immediately flush eyes with water for at least 15 minutes, lifting the upper and lower eyelids intermittently. Check for and remove any contact lenses if easy to do. Seek immediate medical attention.

Ingestion:

Rinse mouth with water. Do not induce vomiting. Seek immediate medical attention.

Most important symptoms and effects both acute and delayed:

No information available.

Indication of any immediate medical attention and special treatment needed:

No information available.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media:

Use extinguishing media suitable for surrounding fire or source of fire. Use water spray to cool fire exposed containers.

Unsuitable Extinguishing Media:

No information available.

Specific hazards developing from the chemical:

In fire conditions after water loss, combustion may produce sulfur oxides and other unidentified chemical compounds.

Precautions for firefighters:

Trade Name: Cooling Water Treatment CWA 6880 SDS #: GLA-CWA6880 Page 2 of 7
SDS ID: SDS00748 Revision # 1 Revision Date 12/22/2015



Cooling Water Treatment CWA 6880

No information available.

Firefighting Instructions:

No information available.

Protection During Firefighting:

Wear full protective gear and full face pressure demand self-contained breathing apparatus.

Other information:

No additional information available.

Section 6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Avoid direct contact with skin, eyes and clothing. Avoid inhalation of mist, vapor or dust. Wear appropriate personal protective equipment as outlined in Section 8 of this SDS.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Contain spilled material and prevent run-off onto ground or into water sources or sewers.

Methods and material for containment and cleaning up:

Neutralize with appropriate alkaline material if possible. Absorb on inert material and place in containers for disposal. Dispose of spilled/collected material in accordance with all federal, state and local regulations.

Section 7 Handling and Storage

Precautions for safe handling:

Avoid contact with skin and eyes. Avoid inhalation of mist, vapor and dust. Ensure adequate ventilation. Do not eat, drink or smoke while handling. Wear appropriate personal protective equipment as outlined in Section 8 of this SDS.

Conditions for safe storage, including any incompatibilities:

Store in original container. Keep container tightly closed. Strore at room temperature (50-90 F) in a dry well-ventilated area.

Section 8 Exposure Controls/Personal Protection

Exposure limits:

Ingredient	Data Source	Exposure Form	Exposure Value	Exposure Notes
sulfuric acid				
	ACGIH	TWA	1 mg/m3	
	IDLH Level	US IDLH	15 mg/m3	
	NIOSH	TWA	1 mg/m3	

Appropriate Engineering Controls:

Use local and/or general exhaust ventilation to maintain airborn concentrations below irritating levels or exposure limits. An eyewash and safety shower should be available in the work area.

Individual protection measures:

Eye/face protection:

Chemical goggles or face shield should be worn when handling this material.

Skin protection:

Hand Protection:

Wear chemical resistant gloves when handling.

Other

Wear chemical resistant clothing or chemical splash suit when handling.

Respiratory Protection:

Wear respiratory protection if mist or vapor is produced, while using this material.

General hygiene considerations:

Follow good hygiene and safety practice. Wash hands and exposed skin before breaks and at the end of the work day. Do not eat, drink or smoke while handling this material. Do not wear contaminated or dirty clothing home from the work-site. Launder contaminated or dirty clothing before reuse.

Additional information:

No additional information available.

Section 9 Physical and Chemical Properties

Trade Name: Cooling Water Treatment CWA 6880 SDS #: GLA-CWA6880 Page 3 of 7 SDS ID: SDS00748 Revision # 1 Revision Date 12/22/2015



Cooling Water Treatment CWA 6880

Appearance Light Yellow Liquid

Odor Mild

Odor threshold Not available.

pH <1

Not available. Melting/freezing point Initial boiling point Not available. Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Lower flammability limit Not available. **Upper flammability limit** Not available. Lower explosive limit Not available. **Upper explosive limit** Not available. Vapor pressure Not available. Vapor density Not available. Relative density Not available. Solubility in water Complete Not available. PC: n-octanol/water **Auto-Ignition temperature** Not available. Not available. **Decomposition temperature** Viscosity Not available. Density Not available. Specific gravity 1.18

Section 10 Stability and Reactivity

Reactivity: May react vigorously with organic and combustible materials. **Chemical stability:** Material is stable under normal handling and storage conditions.

Hazardous reactions: Hazardous polymerization will not occur under normal handling and storage.

Conditions to avoid: Avoid excessive heating, freezing and chemical contamination.

Decomposition products: Thermal decomposition can lead to release of irritating and toxic gases and

vapors.

Incompatible materials: Avoid contact with alkaline chemicals and unwanted contact with metals.

Section 11 Toxicological Information

Information on the likely routes of exposure:

Inhalation:

Inhalation of mist can cause irritation and burns.

Skin Contact:

Contact with material may irritate the skin and cause burns.

Eye Contact:

Contact with material may irritate the eyes and can cause burns.

Ingestion

Contact can cause irritation and burns.

Symptoms related to the physical, chemical and toxicological characteristics:

No information available.

Delayed and chronic effects:

No information available.

Numerical measures of toxicity:

Maniorious modernos or toxiony.								
Components	Exposure	Species	Dose	Notes				
sulfuric acid:								
Oral	LC50	Rat	2140 mg/kg					
Inhalation	LC50	Rat	510 mg/m3	2 hr				

Toxicological effects:

Trade Name: Cooling Water Treatment CWA 6880 SDS #: GLA-CWA6880 Page 4 of 7 SDS ID: SDS00748 Revision # 1 Revision Date 12/22/2015



Cooling Water Treatment CWA 6880

Acute Toxicity:

Mixture:

No information available.

Skin Corrosion/Irritation:

Mixture:

No information available.

Serious Eye Damage/Irritation:

Mixture:

No information available.

Respiratory sensitization:

Mixture:

No information available.

Skin sensitization:

Mixture:

No information available.

Germ cell mutagenicity:

Mixture:

No information available.

Cancinogenicity:

Mixture:

This product is considered to be a potencial canginogen by:

NTP: No OSHA: No IARC: Yes

Reproductive toxicity:

Mixture

This product is not expected to cause reproductive and developmental effects.

STOT-single exposure:

Mixture

No information available.

STOT-repeated exposure:

Mixture:

No information available.

Aspiration hazard:

Mixture:

This product is not an aspiration hazard.

Additional information:

None.

Section 12 Ecological Information

Ecotoxicity:

No information available.

Numerical measures of ecotoxicity:

 Components
 Type
 Species
 Dose
 Notes

 sulfuric acid:

 Fish
 LC50
 Brachydanio rerio
 500 mg/l
 96 hr

Persistence and degradability:

Mixture:

No information available.

Bioaccumulative potencial:

Mixture:

No information available.

Mobility in soil:

Mixture:

No information available.

Other adverse effects:

Mixture:

No information available.

Additional information:

Trade Name: Cooling Water Treatment CWA 6880 SDS #: GLA-CWA6880 Page 5 of 7 SDS ID: SDS00748 Revision # 1 Revision Date 12/22/2015



Cooling Water Treatment CWA 6880

No information available.

Section 13 Disposal Considerations

Disposal instructions:

Dispose of material in accordance with all federal, state and local regulations.

Contaminated packaging:

Triple rinse container and offer for recycling. Dispose of container following all federal, state and local regulations.

Additional Information:

No additional information available.

Section 14 Transport Information

DOT:

UN number: UN2796

UN proper shipping name: UN2796, SulfuricAcid, Solution, 8, PGII

Class: 8

Subsidary risk:none

Label(s):8

Packing group: II

Packaging exceptions:none

Section 15 Regulatory Information

Federal regulations:

SARA 311/312 Hazard categories:

Immediate (Acute) Health Hazard

Delayed (Chronic) Health Hazard

Reactivity Hazard

SARA 302 Extremely hazardous substance:

Not listed.

SARA 304 Emergency release notification:

Not regulated.

SARA 311/312 Hazardous chemical:

No

SARA 313 Toxic Release Inventory (TRI) report:

Not regulated.

CERCLA Hazardous substance list:

Not Listed.

Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA):

This chemical is not a pesticide product.

Clean Air Act regulated substances:

None.

Clean Water Act regulated substances:

None.

U.S. state regulations:

None.

Canadian regulations:

Canadian Ingridient Disclosure List substances:

None listed.

WHMIS classification:

Not classified.

Section 16 Other Information

HMIS hazard ID:

Trade Name: Cooling Water Treatment CWA 6880 SDS #: GLA-CWA6880 Page 6 of 7 SDS ID: SDS00748 Revision # 1 Revision Date 12/22/2015




Cooling Water Treatment CWA 6880



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *-Chronic health effect

NFPA hazard ID:

Flamability:
Health:
Reactivity:
Special hazard:



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Disclamer: This Manufacturer believes that the information contained in the Safety Data Sheet is accurate. The suggested

procedures are based on experience as of the date of the publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable

laws, regulations, rules or insurance requirements.

Issue Date: 12/22/2015

Revision: 1

Trade Name: Cooling Water Treatment CWA 6880 SDS #: GLA-CWA6880 Page 7 of 7 SDS ID: SDS00748 Revision # 1 Revision Date 12/22/2015