

Inhibited Ethylene Glycol Green 47%

Phone:

(440) 834-8435

Section 1 Identification

Trade Name: Inhibited Ethylene Glycol Green 47% Date Prepared: 10/12/2015

Product Identification: GLA-EGI-G47

Synonyms: None CAS No: Mixture

Product Use Description:

Industrial Antifreeze/Heat Transfer Fluid

Details of the supplier of the safety data sheet

G.L.A Water Inc. 17802 Rapids Road

HIRAM, OH 44234 US

website: www.glawater.com

Emergency telephone number

Infotrac (800) 535-5053 (US & Canada)

(352) 323-3500

Section 2 Hazards Identification

GHS Classification: Acute Toxicity Oral Category 4

Specific Target Organ Toxicity Chronic Category 2

GHS label elements:





Irritant Health Hazard

Signal Word: Warning

Hazard Statements:

H302 Harmful if swallowed

H372 Causes damage to organs through prolonged or repeated exposure

Precautionary Statements:

Prevention

P260 Do not breathe mist, vapours or spray.

P264 Wash skin thouroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response

P301 + P312 IF SWALLOWED: call a POISON CENTER or physician if you feel unwell.

P314 Get medical attention if you feel unwell.

P330 Rinse mouth.

Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

Hazards Not Otherwise Classified (HNOC):

None.

Additional Information:

Trade Name: Inhibited Ethylene Glycol Green 47% SDS #: GLA-EGI-G47 Page 1 of 7 SDS ID: SDS00297 Revision # 1 Revision Date 09/17/2015



Inhibited Ethylene Glycol Green 47%

None.

Section 3 Composition

Chemical Name	Common name and synonyms	CAS#	%
ethylene glycol		107-21-1	45 - 55

Section 4 First Aid

General:

Move out of dangerous area. Perform first aid measures as indicated. Seek medical attention and show this safety data sheet to attending physician.

Inhalation³

Move to freah air and keep at rest in a position comfortable for breathing. If breathing difficulty occurs or persists seek medical attention. If not breathing give artificial respiration and seek immediate medical attention.

Skin contact:

Immediately flush exposed skin with water for at least 15 minutes while removing contaminated clothing and/or shoes.

Thoroughly wash with soap and water. Seek medical attention if irritation develops or persists.

Eye contact:

Immediately flush eyes with water for at least 15 minutes, lifting the upper and lower eyelids intermittently. Check for and remove any contact lenses if easy to do. Seek medical attention if irritation develops or persists.

Ingestion:

Rinse mouth with water. Do not induce vomiting. Seek immediate medical attention.

Most important symptoms and effects both acute and delayed:

No information available.

Indication of any immediate medical attention and special treatment needed:

No information available.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media:

Use alcohol foam, carbon dioxide, dry chemical or water spray. Use water spray to cool fire exposed containers.

Unsuitable Extinguishing Media:

No information available.

Specific hazards developing from the chemical:

Combustion may produce carbon monoxide, carbon dioxide and other unidentified organic compounds.

Precautions for firefighters:

No information available.

Firefighting Instructions:

No information available.

Protection During Firefighting:

Wear full protective gear and full face pressure demand self-contained breathing apparatus.

Other information:

No additional information available.

Section 6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Avoid direct contact with skin, eyes and clothing. Avoid inhalation of mist, vapor or dust. Wear appropriate personal protective equipment as outlined in Section 8 of this SDS.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Contain spilled material and prevent run-off onto ground or into water sources or sewers.

Methods and material for containment and cleaning up:

Absorb on inert material and place in containers for disposal. Dispose of spilled/collected material in accordance with all federal, state and local regulations.

Trade Name: Inhibited Ethylene Glycol Green 47% SDS #: GLA-EGI-G47 Page 2 of 7
SDS ID: SDS00297 Revision # 1 Revision Date 09/17/2015



Inhibited Ethylene Glycol Green 47%

Section 7 Handling and Storage

Precautions for safe handling:

Avoid contact with skin and eyes. Avoid inhalation of mist, vapor and dust. Ensure adequate ventilation. Do not eat, drink or smoke while handling. Wear appropriate personal protective equipment as outlined in Section 8 of this SDS.

Conditions for safe storage, including any incompatibilities:

Store in origional container. Keep container tightly closed. Strore at room temperature (50-90 F) in a dry well-ventilated area.

Section 8 Exposure Controls/Personal Protection

Exposure limits:

Ingredient	Data Source	Exposure Form	Exposure Value	Exposure Notes
ethylene glycol				
	ACGIH TI V	Ceiling	100 ma/m3	

Appropriate Engineering Controls:

Use local and/or general exhaust ventilation to maintain airborn concentrations below irritating levels or exposure limits. An eyewash and safety shower should be available in the work area.

Individual protection measures:

Eye/face protection:

Safety glasses or chemical goggles should be worn when handling this material.

Skin protection:

Hand Protection:

Wear chemical resistant gloves when handling.

Other:

Wear chemical resistant apron when handling.

Respiratory Protection:

Wear respiratory protection if mist or vapor is produced, while using this material.

General hygiene considerations:

Follow good hygiene and safety practice. Wash hands and exposed skin before breaks and at the end of the work day. Do not eat, drink or smoke while handling this material. Do not wear contaminated or dirty clothing home from the work-site. Launder contaminated or dirty clothing before reuse.

Additional information:

No additional information available.

Section 9 Physical and Chemical Properties

Appearance	Clear Green Liquid
Odor	Mild
Odor threshold	Not available.
pH	9.5
Melting/freezing point	-20°F (-29°C)
Initial boiling point	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Lower flammability limit	Not available.
Upper flammability limit	Not available.
Lower explosive limit	Not available.
Upper explosive limit	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility in water	Complete
PC: n-octanol/water	Not available.
Auto-Ignition temperature	Not available.
Decomposition temperature	Not available.

Viscosity Density Specific gravity Not available. Not available.

1.05

Trade Name: Inhibited Ethylene Glycol Green 47% SDS #: GLA-EGI-G47 Page 3 of 7 SDS ID: SDS00297 Revision # 1 Revision Date 09/17/2015



Inhibited Ethylene Glycol Green 47%

Section 10 Stability and Reactivity

Reactivity: Not reactive under normal use conditions.

Chemical stability: Material is stable under normal handling and storage conditions.

Hazardous reactions: Hazardous polymerization will not occur under normal handling and storage.

Conditions to avoid : Avoid excessive heating, freezing and chemical contamination.

Decomposition products: No decomposition products are expected under normal storage and handling

conditions

Incompatible materials: Avoid contact with oxidizers and strong acids.

Section 11 Toxicological Information

Information on the likely routes of exposure:

Inhalation:

No information available.

Skin Contact:

No information available.

Eye Contact:

No information available.

Ingestion:

Swallowing a small quantity of this material will result in serious health hazard. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics:

No information available.

Delayed and chronic effects:

May cause damage to organs through prolonged or repeated exposure.

Numerical measures of toxicity:

. tainon loan illoadan t	, o o				
Components	Exposure	Species	Dose	Notes	
ethylene glycol:					
LD50	Oral	Rat	7712 mg/kg		
LD50	Dermal	Mouse	>3500 mg/kg		
LC50	Inhalation	Rat	>2.5 mg/l	4 hr	

Toxicological effects:

Acute Toxicity:

Mixture:

No information available.

Skin Corrosion/Irritation:

Mixture:

No information available.

Serious Eye Damage/Irritation:

Mixture:

No information available.

Respiratory sensitization:

Mixture:

No information available.

Skin sensitization:

Mixture:

No information available.

Germ cell mutagenicity:

Mixture:

No information available.

Cancinogenicity:

Mixture:

This product is considered to be a potencial cangingen by:

NTP: No OSHA: No IARC: No

Trade Name: Inhibited Ethylene Glycol Green 47% SDS #: GLA-EGI-G47 Page 4 of 7
SDS ID: SDS00297 Revision # 1 Revision Date 09/17/2015



Inhibited Ethylene Glycol Green 47%

Reproductive toxicity:

Mixture:

This product is not expected to cause reproductive and developmental effects.

STOT-single exposure:

Mixture:

No information available.

STOT-repeated exposure:

Mixture:

No information available.

Aspiration hazard:

Mixture:

This product is not an aspiration hazard.

Additional information:

None.

Section 12 Ecological Information

Ecotoxicity:

No information available.

Numerical measures of ecotoxicity:

Numerical measure	3 Of GCOLOXICITY.				
Components	Type	Species	Dose	Notes	
ethylene glycol:					
Fish	LC50	Pimephales promelas	72860 mg/l	96 hr	
Invertebrates	EC50	Daphnia magna	>100 mg/l	48 hr	

Persistence and degradability:

Mixture:

This material is expected to readily degrade.

Bioaccumulative potencial:

Mixture:

This material is not expected to bioaccumulate.

Mobility in soil:

Mixture:

No information available.

Other adverse effects:

Mixture:

No information available.

Additional information:

No information available.

Section 13 Disposal Considerations

Disposal instructions:

Dispose of material in accordance with all federal, state and local regulations.

Contaminated packaging:

Triple rinse container and offer for recycling. Dispose of container following all federal, state and local regulations.

Additional Information:

No additional information available.

Section 14 Transport Information

DOT:

Not classified.

Section 15 Regulatory Information

Federal regulations:

SARA 311/312 Hazard categories:

Trade Name: Inhibited Ethylene Glycol Green 47% SDS #: GLA-EGI-G47 Page 5 of 7 SDS ID: SDS00297 Revision # 1 Revision Date 09/17/2015



Inhibited Ethylene Glycol Green 47%

None.

SARA 302 Extremely hazardous substance:

Not listed.

SARA 304 Emergency release notification:

ethylene glycol Reportable Quantity: 5000 lbs

SARA 311/312 Hazardous chemical:

No

SARA 313 Toxic Release Inventory (TRI) report:

ethylene glycol Reportable Quantity: >95%

CERCLA Hazardous substance list:

Not Listed.

Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA):

This chemical is not a pesticide product.

Clean Air Act regulated substances:

None

Clean Water Act regulated substances:

None.

U.S. state regulations:

Minnesota RTK Substances

ethylene glycol Listed.

New Jersery RTK Substances

ethylene glycol Listed.

Pennsylvania RTK Substance

ethylene glycol Listed.

Canadian regulations:

Canadian Ingridient Disclosure List substances:

None listed.

WHMIS classification:

Not classified.

Section 16 Other Information


HMIS hazard ID:



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *-Chronic health effect

NFPA hazard ID:

Flamability:
Health:
Reactivity:
Special hazard:



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Trade Name: Inhibited Ethylene Glycol Green 47% SDS #: GLA-EGI-G47 Page 6 of 7 SDS ID: SDS00297 Revision # 1 Revision Date 09/17/2015



Inhibited Ethylene Glycol Green 47%

Disclamer: This Manufacturer believes that the information contained in the Safety Data Sheet is accurate. The suggested

procedures are based on experience as of the date of the publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable

laws, regulations, rules or insurance requirements.

Issue Date: 10/12/2015

Revision: 1

Trade Name: Inhibited Ethylene Glycol Green 47% SDS #: GLA-EGI-G47 Page 7 of 7 SDS ID: SDS00297 Revision # 1 Revision Date 09/17/2015